

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Currently amended) A method for messaging with devices in order to determine one or more actions to perform, the method comprising:
 - storing information for a message, the stored information comprising action information corresponding to the one or more actions;
 - sending a message to a device including a message identifier and one or more action identifiers corresponding to the one or more actions;
 - receiving a response message from the device, the response message including an action identifier in the one or more action identifiers and the message identifier;
 - determining the stored information using the message identifier;
 - determining action information ~~for the action~~ in the stored information corresponding to an action in the one or more actions using the action identifier; and
 - performing the ~~determined~~ action using the action information.
2. (Original) The method of claim 1, wherein the action information comprises information compatible with a web-based application, wherein the web-based application is used to perform the action.
3. (Original) The method of claim 1, wherein the sent message comprises a text-based message and the response message comprises a text-based message.
4. (Original) The method of claim 1, further comprising sending a result of the performed action to the device.

5. (Original) The method of claim 1, further comprising determining device information associated with the response message, wherein the message identifier and the device information are used to determine the stored information.

6. (Currently amended) The method of claim [[1]] 5, wherein the device information comprises at least one of information specific to a device and information specific to a user.

7. (Original) The method of claim 1, wherein the device comprises a mobile device.

8. (Original) A method for messaging with devices in order to determine one or more actions to perform, the method comprising:

storing information on how to perform one or more actions;

sending a message to a device including information identifying the one or more actions;

receiving a text message from the device including information identifying a desired action in the one or more actions;

determining stored information on how to perform the desired action using the information specifying the desired action; and

causing the determined action to be performed using the information on how to perform the desired action.

9. (Original) The method of claim 8, wherein the information on how to perform the one or more actions comprises web-based information.

10. (Original) The method of claim 9, wherein the web-based information comprises a URL.

11. (Original) The method of claim 8, wherein the sent message comprises a plain-text message.

12. (Original) The method of claim 8, wherein the text message comprises a plain-text message.

13. (Original) The method of claim 8, wherein determining the stored information comprises using a message identifier for the received message to determine the stored information.

14. (Original) The method of claim 8, further comprising sending a result of the performed action to the device.

15. (Original) A device for generating and processing messages to determine actions to perform, the device comprising:

a message generator configured to generate a message identifying one or more actions and to send the generated message to a device;

an information storer configured to store information associated with the identified one or more actions;

a receiver configured to receive a response message from the device, wherein the response message identifies an action in the one or more actions identified in the message sent to the device;

an action determiner configured to determine stored information for the identified action; and

an action performer configured to cause the action to be performed using the determined stored information.

16. (Original) The device of claim 15, wherein the generated message comprises a text message.

17. (Original) The device of claim 15, wherein the response message comprises a text message.

18. (Original) The device of claim 15, wherein the one or more actions comprise web-based actions.

19. (Original) The device of claim 15, wherein the action determiner determines the stored information using at least one of a message identifier for the response message to and information specific to the response message.

20. (Original) The device of claim 15, wherein the information specific to the response message comprises information specific to a user.

21. (Original) A system configured to perform actionable messaging, the system comprising:

one or more devices;

an application configured to perform actions; and

an actionable message device configured to communication with the one or more devices and the application, the device comprising:

a message generator configured to generate a message identifying one or more actions and to send the generated message to a device;

an information storer configured to store information associated with the identified one or more actions;

a receiver configured to receive a response message from the device, wherein the response message identifies an action in the one or more actions identified in the message sent to the device;

an action determiner configured to determine stored information for the identified action; and

an action performer configured to cause the action to be performed using the determined stored information.

22. (Original) The system of claim 21, wherein the one or more devices comprise mobile devices.

23. (Original) The system of claim 22, wherein the mobile devices are configured to receive messages exclusive of web-based messages.

24. (Original) The system of claim 22, wherein the mobile devices are configured to send messages exclusive of web-based messages.

25. (Original) The system of claim 21, wherein the application comprises a web-based application.